

Chemical Resistant Self Fusing Pipe Repair Tape Non Adhesive Plumbing Repair Tape

चि

上海中垒电气材料有限公司



• Length:

• Highlight:

10 Feet

Таре

Chemical Resistant Self Fusing Pipe Repair

, Self Fusing Pipe Repair Tape Non Adhesive,

Self Fusing Plumbing Repair Tape

Product Description:

Unlike traditional duct tapes, our Self-bonding Plumbing Repair Tape is non-adhesive, making it easy to apply and remove without leaving any sticky residue behind. Its self-sticking feature enables it to bond to itself for a quick and easy fix, without the need for any additional tools or adhesive.

With a maximum operating temperature of 356 °F, our Self-bonding Plumbing Repair Tape can withstand hot water and steam, making it ideal for use in high-temperature environments such as boilers and steam pipes.

Our Self-fusing Duct Tape is also UV resistant, which means it can withstand exposure to sunlight and outdoor elements without deteriorating or losing its bonding strength.

Our Self-bonding Plumbing Repair Tape has a shelf life of 5 years, giving you peace of mind that it will be ready to use when you need it. It is a versatile and long-lasting solution that can be used for a variety of applications, including repairing leaks in pipes, hoses, and fittings, as well as sealing electrical connections and insulation.

Choose our Self-fusing Duct Tape for a reliable and easy-to-use solution for all your plumbing and pipe repair needs.

Features:

Product Name: Self Fusing Pipe Repair Tape

Versatile: Yes

Flexible: Yes Waterproof: Yes

Tensile Strength (Metric): 82 KPa

Durable: Yes

This Self Fusing Pipe Repair Tape is a versatile and flexible tape that can be used for a variety of applications. It is also waterproof, making it ideal for use in wet environments. With a tensile strength of 82 KPa, this Self-amalgamating Pipe Repair Tape is strong and durable. It can be used as a Self-fusing Duct Tape or a Self-adhesive Pipe Repair Tape, making it an essential tool for any DIY enthusiast or professional plumber.

Technical Parameters:

Product Name:	Self-sealing Pipe Fix Tape	
Non-Adhesive:	Yes	
Tensile Strength:	82 KPa (Metric)	
Maximum Operating Temperature:	180°C (Celsius)	
Color:	Black	
Length:	10 Feet	
Self-sticking:	Yes	
Self Fusing:	Yes	
Elongation at Break:	450%	
Durable:	Yes	
Versatile:	Yes	

Applications:

The Self-amalgamating Pipe Repair Tape has a tensile strength of 82 KPa, which means it can withstand high pressure. This feature makes it an ideal solution for repairing pipes that are under constant pressure. Additionally, the tape is flexible, which makes it easy to wrap around pipes of different shapes and sizes. The flexibility of the tape allows it to stretch and conform to the shape of the pipe, ensuring a tight seal.

The Self-amalgamating Pipe Fixing Tape can be used in a variety of applications. For example, it can be used to fix leaks in water pipes, gas pipes, and even automotive pipes. It is also great for repairing pipes that are exposed to high temperatures. The maximum operating temperature of the tape is 356 °F, which means it can be used to repair pipes that carry hot liquids or gases. Additionally, the tape is resistant to moisture, which ensures that the repair will last for a long time.

This product is easy to use. Simply wrap the tape around the damaged area of the pipe, and the tape will fuse to itself, creating a tight seal. The self-fusing feature ensures that the tape will not unravel or come loose. This makes it an ideal solution for emergency repairs. In conclusion, zhonglei Self Fusing Pipe Repair Tape is a reliable and effective solution for repairing leaks and breaks in pipes. Its self-fusing capabilities, flexibility, and resistance to high temperatures and moisture make it an ideal choice for a wide range of applications. Whether you need to fix a leak in a water pipe, gas pipe, or automotive pipe, this Self-amalgamating Pipe Repair Tape is an excellent choice.

Shanghai Zhonglei Electric Material Co., Ltd.						
0	+8615702120966	forwardyu@163.com	e	siliconerubber-product.com		
No. 66, Lane 1098, Shengli Road, Qingpu District, Shanghai						